Tips for taking Ferro-grad C

It's best to take Ferro-grad C tablets without food; however, gastrointestinal upset may be reduced by taking it at night or with a meal.³

Tea, coffee and calcium can reduce the amount of iron your body absorbs from food, so it's best to cut back on your intake of these. Especially close to mealtimes. 4.12

How long should I take Ferro-grad C?

3 to 6 months of treatment is usually recommended to fully replenish your iron stores.² But do not use for more than 12 months without advice from your doctor.¹

Even if you start feeling better, it's important to continue the treatment for the duration recommended by your doctor, as it takes longer for your body's iron stores to be fully replenished.²

To find out more, go to the Ferro-grad C website





Iron defficiency. Clinical Update. Updated 2022. Available from: www.gesa.org.au. Accessed July 2023. 3. Pasricha SS et al. Med J Aust 2010;193:525-32.

4. Iron defficiency anaemia. BMJ Best Practice. Updated 2022. Available from: bestpractice.bmj.com. Accessed 2023. 5. Gulec S et al. Am J Physiol Gastrointest Liver Physiol. 2014;307(4):6397-409. 6. Gomez G, Gomez J. Br J Clin Pract1969;23(10):421-5. 7. Gomez G, Gomez J. Br J Clin Pract1967;21(1):31-6. 8. Webster JJ. Curr Ther Res Clin Exp 1962;4:130-4. 9. Blair H, Blair C. J Coll Gen Pract 1967;13(1):117-21. 10. Morrison J et al. Med J Aust 1977;1(14):482-4. 11. Gupta S, Pavil P. Medicine Today 2022;23(3):41-8.

12. Iron. Australian Medicines Handbook (online). Adelaide: Australian Medicines Handbook Pty Ltd; 2022 July. Available from: https://amhonline.amh.net.au. Accessed 2022.

Ferro-grad C[®] is a Viatris Company trademark. Copyright @ 2023 Viatris Pty Ltd. All rights reserved. Viatris Pty Ltd, Level 1, 30-34 Hickson Road, Millers Point NSW 2000. Tel 1800 314 527. FGC-2023-0064. July 2023.



Fight fatigue

By taking charge of your iron deficiency¹

What is iron deficiency?

Iron deficiency occurs when your body is using more iron than it's receiving, which uses up your body's stored iron.²

Doctors can check your iron stores by testing your ferritin levels.² Women who are menstruating, pregnant women, blood donors and vegetarians are some of the most affected groups.^{2,3}

What does iron deficiency do to the body?

- Fatigue and decreased ability to do physical exercise/work²
- X Impacted concentration and memory²
- X Negative effects to immunity²
- X Thinning or flattening of your fingernails4

Why choose Ferro-grad C?

- Helps fight the fatigue associated with iron deficiency
- Convenient once-daily tablet¹ or as directed by the doctor
- Contains modified release ferrous sulfate Fe²⁺, an readily absorbable form of iron²
- Includes 500 mg of vitamin C¹ to enhance iron absorption.



Reduce risk of constipation

Some iron supplements frequently cause tummy upset.² The modified release formulation of Ferro-grad C prevents the iron from being released too quickly in the digestive system. This helps reduce the risk of gastric side effects like constipation, nausea and stomach pain*.⁷⁻¹¹



*vs immediate release ferrous sulphate